

| | | |
|---|------------------------------|-----------------------------|
| 13. Monitor position is directly in front of employee so employee does not have to twist head or neck. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 14. No glare (e.g., from windows, lights) is present on the screen which might cause employee to assume an awkward posture to read screen. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |

WORK AREA

| | | |
|--|------------------------------|-----------------------------|
| The work area is designed or arranged for doing VDT tasks so that. . . | | |
| 15. Thighs have clearance space between chair and VDT table/keyboard platform (thighs not trapped). | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 16. Legs and feet have clearance space under VDT table so employee is able to get close enough to keyboard/input device. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |

ACCESSORIES

| | | |
|---|------------------------------|-----------------------------|
| | | |
| 17. Document holder , if provided, is stable and large enough to hold documents that are used. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 18. Document holder , if provided, is placed at about the same height and distance as monitor screen so there is little head movement when employee looks from document to screen. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 19. Wrist rest , if provided, is padded and free of sharp and square edges. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 20. Wrist rest , if provided, allows employee to keep forearms, wrists and hands straight and parallel to ground when using keyboard/input device. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 21. Telephone can be used with head upright (not bent) and shoulders relaxed (not elevated) if employee does VDT tasks at the same time. | Yes <input type="checkbox"/> | No <input type="checkbox"/> |

GENERAL

| |
|--|
| |
|--|